NO. 62004

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

PUBLIC WATERS OF THE STATE OF N HERETOFORE APPROPRIATED	EVADA
f filing in State Engineer's Office APR 05 1996	•

Date of fifting in blace bigineer b err	<u></u>			
Returned to applicant for correction			·	
Corrected application filed	· 	·	•	<u>·</u>
Map filed APR 05 1996				
**	*****			

The applicant Gardnerville Ranchos General Improvement District, hereby make application for permission to change the The Point of Diversion and Place of Use of water heretofore appropriated under Permit No. 48756

- 1. The source of water is **Underground**
- 2. The amount of water to be changed 2.4404
- 3. The water to be used for Quasi-Municipal
- 4. The water heretofore permitted for Quasi-Municipal
- 5. The water is to be diverted at the following point SW% NW% Section 10, T.12N, R.20E., M.D.B.&M. or at a point from which the % Corner of Sections 9 and 10 bears S12°58'W, a distance of 110.0 feet.
- 6. The existing permitted point of diversion is located within NW% SW% Section 10, T.12N, R.20E., M.D.B.&M or at a point from which the SW Corner of said Section 10 bears S3°45'W, a distance of 2630 feet.
- 7. Proposed place of use See Attached
- 8. Existing place of use See Attached
- 9. Use will be from January 1 to December 31 of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works Drilled well, Pump and Motor to an existing Storage and Distribution System
- 12. Estimated cost of works \$150,000
- 13. Estimated time required to construct works 2 Years
- 14. Estimated time required to complete the application of water to beneficial use **5 Years**
- 15. Remarks: Water from this Well is to be commingled with the GRGID Water System

s/Carl M. Cavolick
By Carl M. Cavolick Agent for GRGID
800 E. College Parkway
Carson City, NV. 89706

Compared jk/cl cl/cms	
Protested	

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 48756 is issued subject to the terms and conditions imposed in said Permit 48756 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is If the well is flowing, a valve must be installed and filed. maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress

and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 45900, 48749, 48750 Certificate 12756; Permits 48752, 48754, 48757, 48759, 48761 Certificate 12796; Permits 55357, 55358, 55359, 55360 Certificate 14383; Permits 55382, 55420 Certificate 14384; Permits 60098, 60099, 60100, 60887, 61731, 61732, 62004, 62005, and 62006 shall not exceed 1,570.25 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.4404 cubic feet per second , but not to exceed 575.7 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 12, 1997

Proof of completion of work shall be filed before: September 12, 1997

Application of water to beneficial use shall be filed on or before: August 12, 1998

Proof of the application of water to beneficial use shall be filed on or before: September 12, 1998

Map in support of proof of beneficial use shall be filed on or before:

> IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set

> > my hand and the seal of my office,


this 19th day	of September , A.D. 199
Metal	le melos
The state of the s	State Engineer
/	
ACT On some	^

Completion of work filed OCT 0 9 1998	
Proof of beneficial use filed	
Cultural map filed	
Certificate No Issued	

GARDNERVILLE RANCHOS GENERAL IMPROVEMENT DISTRICT

PROPOSED PLACE OF USE - PORTIONS OF SECTIONS AS FOLLOWS:

PORTION	SECTION	TNSHIP.	RANGE	м.р.в.& м.	
-SW1/4NE1/4	10	12N '	20E	M.D.B.& M.	
S1/2NW1/4	10	12N	20E	M.D.B.& M.	
S1/2	10	12N	20E	М.D.В.& М.	
S1/2SE1/4	9	12N	20E	M.D.B.& M.	
SW1/4	9	12N	20E	м.Ď.в.& м.	
E1/2NE1/4	17	12N	20E	M.D.B.& M.	
W1/2NW1/4	16	12N 🕔 🕔	20E	M.D.B.& M.	
E1/2W1/2	16	12N	20E	M.D.B.& M.	
E1/2	16	12N	20E	. М:D.В.& м.	
W1/2	15	12N	20E	M.D.B.& M.	
W1/2E1/2	15	12N	20E	M.D.B.& M.	
E1/2NE1/4	15	12N ::	20E	M.D.B.& M.	
SW1/4NW1/4	14	12N	20E	м.р.в. м.	
E1/2	21	12N	20E	M.D.B.& M.	
ALL OF	22	12N	20E	M.D.B.& M.	
SW1/4NW1/4	23	12N	20E	м.р.в.& м.	
NW1/4SW1/4	23	12N	20E	М.D.B.& М.::	
E1/2NE1/4	28	12N	20E	M.D.B.& M.	
NW1/4NW1/4	27	12N	20E	M.D.B.& M.	
NE1/4NW1/4	21	12N	20E	M.D.B.& M.	
E1/2SE1/4SE1/4	8	12N	20E	M.D.B.& M.	
NE1/4NE1/4	20	12N *	20E	M.D.B.& M.	
	-		7 1 1 2		



PEACE OF UIT

PORTIONS:		•
SINM	SECTION	1: 10
Sh"	,- н	- 41
SLSE		9.
SELNE'	n	17
SMYNMY	, in the second	: 16
EJWZ	ii ,	.,
Eh	H	, u
Wh	W.	15
$M_I^3E_I^3$.	n	3.00
E5NE4	n .	er ,
SWINNI	- , 10	14
E4	, u	21
all of	ni.	22
SWIANWI.	11	23
NW1 SW1		15.
ENEL	" 11.	- 28
NW NW L	·	27
NE NW	, · · · · · · · · · · · · · · · · · · ·	21
รเอาุ	**	4
EX 16 74 5 7	4	8

. •1	٠٠,		4. F.	H	
••		••	. :		
10		. 0		, H	
	•		4. 34. 3	``.	
	•				
Ņ.	٠				
	17.				
	٠.	4	٠.		
**		11			١.,
1.0			•		
			·.		
98		80	٠		le i j
41		11	V.3.		,
		•			,
"	٠.				
ų					li.
					J
, 11.	•	10.	.,	-1	P.
. 11	**	10			•
		-:			
"		**		•	
		ų			
	, d' s		•		er G
*1		u			•
~ ;	:	٠.			
	٠	•	100		• `

